	Hits	Search Text	DBs
1		(375/222, 375/365, 375/366,	US-PGPUB;
	228	375/368, 375/219, 375/220).ccls.	USPAT; EPO; JPO;
-	220	and modem and handshak\$5 and	DERWENT;
		@ad<"19990914"	IBM_TDB
		(375/222, 375/365, 375/366,	US-PGPUB;
2	229	375/368, 375/219, 375/220).ccls.	USPAT; EPO; JPO;
	223	and modem\$5 and handshak\$5	DERWENT;
		and @ad<"19990914"	IBM_TDB
		(375/222, 375/365, 375/366,	US-PGPUB;
3	7	375/368, 375/219, 375/220).ccls.	USPAT; EPO; JPO;
		and modem\$5 and handshak\$5.ti.	DERWENT;
		and @ad<"19990914"	IBM_TDB
		(375/222, 375/365, 375/366,	
		375/368, 375/219, 375/220).ccls.	
		and modem\$5 and ((handshak\$5	
		or transmi\$5 or recep\$5 or	US-PGPUB;
		receiv\$5) near2 (version\$5 or	USPAT; EPO; JP
4	81	revision\$5 or ((manufactur\$5 or	DERWENT;
		platform or diagnostic or	IBM TDB
		identifi\$10 or command\$5 or at)	10111_100
		adj (data or informa\$10 or	
		paramet\$5 or cod\$5)))) and	
		@ad<"19990914"	
		(375/222, 375/365, 375/366,	
		375/368, 375/219, 375/220).ccls.	
		and modem\$5 and ((handshak\$5	
		or transmi\$5 or recep\$5 or	US-PGPUB;
5	57	receiv\$5) near2 (version\$5 or	USPAT; EPO; JPO;
		revision\$5 or ((manufactur\$5 or	DERWENT;
		platform or diagnostic or	IBM_TDB
		identifi\$10 or at) adj (data or	
		informa\$10 or paramet\$5 or	
		cod\$5)))) and @ad<"19990914"	

	Hits	Search Text	DBs
		(375/222, 375/365, 375/366,	
		375/368, 375/219, 375/220).ccls.	
		and modem\$5 and ((handshak\$5	·
		or transmi\$5 or recep\$5 or	
		receiv\$5) near2 (version\$5 or	US-PGPUB;
6.	41	revision\$5 or ((manufactur\$5 or	USPAT; EPO; JPO;
O .	7*'	platform or diagnostic or	DERWENT;
		identifi\$10 or at) adj (data or	IBM_TDB
		informa\$10 or paramet\$5 or	
		cod\$5)))) and (not (version\$5	
		with transmit\$5)) and	
		@ad<"19990914"	
		(375/222, 375/365, 375/366,	
		375/368, 375/219, 375/220).ccls.	
		and modem\$5 and handshak\$5	
		and ((handshak\$5 or transmi\$5 or	He penup.
		recep\$5 or receiv\$5) near2	US-PGPUB;
7	18	(version\$5 or revision\$5 or	USPAT; EPO; JPO;
		((manufactur\$5 or platform or	DERWENT;
		diagnostic or identifi\$10 or at) adj	IBM_TDB
		(data or informa\$10 or paramet\$5	
ĺ		or cod\$5)))) and	
		@ad<"19990914"	
		(US-6535550-\$ or US-6341143-\$	
		or US-6151355-\$ or US-5619725-\$	
8	11	or US-5164985-\$ or US-5208812-\$	USPAT
	• •	or US-6542537-\$ or US-6549569-\$	USPAI
		or US-6198783-\$ or US-6026079-\$	
		or US-5909471-\$).did.	
		((US-6535550-\$ or US-6341143-\$	
	6	or US-6151355-\$ or US-5619725-\$	
		or US-5164985-\$ or US-5208812-\$	
9		or US-6542537-\$ or US-6549569-\$	USPAT
		or US-6198783-\$ or US-6026079-\$	
		or US-5909471-\$).did.) and	
		manufactu\$5	

	Hits	Search Text	DBs
10	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2	"5311596".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	18	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220, 375/362, 375/354, 370/235, 370/229, 379/1.01, 379/2, 379/418, 455/26.1).ccls. and modem\$5 and handshak\$5 and ((handshak\$5 or transmi\$5 or recep\$5 or receiv\$5) near2 (version\$5 or revision\$5 or ((manufactur\$5 or platform or diagnostic or identifi\$10 or at) adj (data or informa\$10 or paramet\$5 or cod\$5)))) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	3	"6404807".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	10	("4890303" "5199046" "5237561" "5278865" "5394437" "5463661" "5528679" "5724393" "5757849" "5801695").PN.	US-PGPUB; USPAT; USOCR
17	9	mehrabanzad.in.	US-PGPUB; USPAT; USOCR
18	0	(375/222, 375/365, 375/366, 375/368, 375/219, 375/220, 375/362, 375/354, 370/235, 370/229, 379/1.01, 379/2, 379/418, 455/26.1).ccls. and modem\$5 and renegotiat\$5 and (connection near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	0	(connection\$5 near2 alive) and (@ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
20	0	modem\$5 and re\$1negotiat\$5 and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	12	modem\$5 and negotiat\$5 and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	modem\$5 and (negotiat\$5 near2 again)and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	2	modem\$5 and (error\$5 near2 correct\$5) and (connection\$5 near2 alive) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	6150	modem\$5 and (error\$5 near2 correct\$5) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	438	(379/93.01 or 375/377).ccls. and modem	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	824	modem\$7 near2 (compan\$7 or manufac\$7 or version\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	2	modem\$7 near2 (compan\$7 or manufac\$7 or version\$7) near2 (find\$7 or locat\$7 of identif\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	8	(("4680773") or ("4782498") or ("4215243")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

L	Hits	Search Text	DBs	
		modem\$7 and ((manufac\$7 and	US-PGPUB;	
29	22	version\$7) near2 (transmi\$7 or	USPAT; EPO; JPO;	
		receiv\$7 or recep\$7)) and	DERWENT;	
		@ad<"19990914"	IBM_TDB	
		((manufact7 and variont7)	US-PGPUB;	
30	87	((manufac\$7 and version\$7) near2 (transmi\$7 or receiv\$7 or	USPAT; EPO; JPO;	
30	0,	recep\$7)) and @ad<"19990914"	DERWENT;	
		1ecep\$/// and @ad 19990914	IBM_TDB	
			US-PGPUB;	
31	65	S31 not S30	USPAT; EPO; JPO;	
.			DERWENT;	
			IBM_TDB	
		((manufac\$7 and version\$7 and	US-PGPUB;	
32	27	(id or identif\$7)) near2 (transmi\$7	USPAT; EPO; JPO;	
		or receiv\$7 or recep\$7)) and	DERWENT;	
		@ad<"19990914"	IBM_TDB	
	13	333 not 330	US-PGPUB;	
33			USPAT; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
			US-PGPUB;	
34	650	(modem near2 identif\$7) and	USPAT; EPO; JPO;	
		@ad<"19990914"	DERWENT;	
			IBM_TDB	
		((Modem near2 Identit\$7) with	US-PGPUB;	
35	0	(model\$7 and manufac\$7 and	USPAT; EPO; JPO;	
		vers\$7)) and @ad<"19990914"	DERWENT;	
			IBM_TDB	
		((modem near2 identit\$7) with	US-PGPUB;	
36	0	((model\$7 or manufac\$7) and	USPAT; EPO; JPO;	
		vers\$7)) and @ad<"19990914"	DERWENT;	
			IBM_TDB	
		((Modem near) identits()) same	US-PGPUB;	
37	2	((model\$7 or manufac\$7) and	USPAT; EPO; JPO;	
			vers\$7)) and @ad<"19990914"	DERWENT;
			IBM_TDB	

	Hits	Search Text	DBs
38	169	((modem near2 identif\$7) and ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	169	((modem near2 identif\$7) and ((model\$7 or manufac\$7) and vers\$7)) and (transmi\$7 or receiv\$7 or recep\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	169	((modem near2 identif\$7) and ((model\$7 or manufac\$7) and vers\$7)) and (transmi\$7 or send\$7 or receiv\$7 or recep\$7 or get\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	33	((modem near2 identif\$7) and (((model\$7 or manufac\$7) and vers\$7)) with (transmi\$7 or send\$7 or receiv\$7 or recep\$7 or get\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	33	S42 not S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	18	("4439863" "4495619" "4894844" "5058134" "5063574" "5081649" "5195107" "5267021" "5311547" "5541955" "5581578" "5628013" "5710793" "5721922" "5832044" "5953376" "5970088" "6092095").PN. OR ("6463094").URPN.	US-PGPUB; USPAT; USOCR
44	0	((modem near2 identif\$7) near2 (bas\$3 or using) near2 ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45		((modem near2 identif\$7) near2	US-PGPUB;
	0	(bas\$3 or us\$3) near2 ((model\$7	USPAT; EPO; JPO;
	ا	or manufac\$7) and vers\$7)) and	DERWENT;
		@ad<"19990914"	IBM_TDB
46	0	((modem) near2 (bas\$3 or us\$3) near2 ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	4	((transmi\$7 or receiv\$7 or recep\$7 or send\$7 or get\$7) near2 (bas\$3 or us\$3) near2 ((model\$7 or manufac\$7) and vers\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	1	(modem near2 manufact\$7 near2 identif\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	4	"5311578".pn. or "4215243".pn. or "4680773".pn. or "4782498".pn.	USPAT
50	134	("3457550" "3569943" "3657700" "3676858" "4000371" "4069392" "4215243" "4270205" "4357700" "4377862" "4387440" "4425664" "4470127" "4549302" "4620294" "4680773" "4680781" "4782498" "4924456" "4931250" "5144651").PN. OR ("4215243" "4680773" "4782498" "5311578").URPN.	US-PGPUB; USPAT; USOCR
51	105	\$511976).ORPN. \$51 and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
52	1	((modem\$7 near2 version\$7) near2 transmi\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	3	((modem\$7 near2 version\$7) near2 (receiv\$7 or recep\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	0	((modem\$7 near2 version\$7) near2 (identif\$7 or locat\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	131	(modem\$7 near2 id) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	84	(modem\$7 near2 (version\$7 or revision\$7)) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	21	(modem\$7 near2 (version\$7 or revision\$7)) with (send\$7 or transmi\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	62	(modem\$7 near2 manufactu\$7) with (send\$7 or transmi\$7) and @ad<"19990914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
		(375/222, 375/365, 375/366,	
		375/368, 375/219, 375/220,	
		375/362, 375/354, 370/235,	
	25	370/229, 379/1.01, 379/2, 379/418,	
		455/26.1, 379/93.01,	
		375/377).ccls. and modem\$5 and	US-PGPUB;
59		handshak\$5 and ((handshak\$5 or	USPAT; EPO; JPO;
39		transmi\$5 or recep\$5 or receiv\$5)	DERWENT;
		near2 (version\$5 or revision\$5 or	IBM_TDB
		((manufactur\$5 or platform or	
		diagnostic or identifi\$10 or at) adj	
		(data or informa\$10 or paramet\$5	
		or cod\$5)))) and	
		@ad<"19990914"	